

Product Reference Chart



Engineering Plastic Products



MCAM Brand	Colour	Chemical Acronym	Polymer Group
Duratron®			
Duratron® CU60 PBI	black	PBI	Polybenzimidazole
Duratron® U1000 PEI	amber translucent	PEI	Polyetherimide
Duratron® U2300 PEI	natural	PEI	Polyetherimide, 30% glass-reinforced
Duratron® D7000 PI	natural (chestnut)	PI	Polyimide
Duratron® D7015G PI	grey-black	PI + graphite	Polyimide + graphite
Duratron® T4203 PAI	yellow-ochre	PAI	Polyamide-imide
Duratron® T4301 PAI	black	PAI + graphite + PTFE	Polyamide-imide + graphite + Polytetrafluoroethylene
Duratron® T4501 PAI	black	PAI + graphite + PTFE	Polyamide-imide + graphite + Polytetrafluoroethylene
Duratron® T4503 PAI	yellow-ochre	PAI	Polyamide-imide
Duratron® T5530 PAI	khaki-grey	PAI GF30	Polyamide-imide + 30% glass fibre
Fluorosint®			
Fluorosint® 135 PTFE	black	PTFE + additives	Polytetrafluoroethylene + additives
Fluorosint® 207 PTFE	white	PTFE + mica	Polytetrafluoroethylene + synthetic mica
Fluorosint® 500 PTFE	ivory	PTFE + mica	Polytetrafluoroethylene + synthetic mica
Fluorosint® HPV PTFE	tan	PTFE + additives	Polytetrafluoroethylene + additives
Fluorosint® MT-01 PTFE	dark grey	PTFE + additives	Polytetrafluoroethylene + additives
Ketron®			
Ketron® 1000 PEEK	natural (brownish-grey), black	PEEK	Polyetheretherketone
Ketron® CA30 PEEK	black	PEEK CA30	Polyetheretherketone + 30% carbon fibre
Ketron® VMX Food Grade PEEK	blue	PEEK MD	Polyetheretherketone + metal detectable additive
Ketron® TX PEEK	blue	PEEK TX	Polyetheretherketone + solid lubricant
Ketron® GF30 PEEK	natural (brownish-grey)	PEEK GF30	Polyetheretherketone + 30% glass fibre
Ketron® HPV PEEK	black	PEEK HPV + CF + PTFE + graphite	Polyetheretherketone + carbon fibre + Polytetrafluoroethylene + graphite
Ketron® CC PEEK	black	PEEK CC	Polyetheretherketone carbon fibre reinforced
Sultron®			
Sultron® PSU	natural (yellow translucent)	PSU	Polysulfone
Techtron®			
Techtron® PPS	natural	PPS	Polyphenylene Sulfide
Techtron® HPV PPS	blue	PPS HPV	Polyphenylene Sulfide + solid lubricant
Techtron® GF40 PPS	black	PPS	Polyphenylene Sulfide + 40% glass fibre
Semitron®			
Semitron® ESd 225 POM-C	tan	POM-C	static dissipative Polyoxymethylene
Semitron® ESd 410C PEI	black	PEI	static dissipative Polyetherimide
Semitron® ESd 500HR PTFE	white	PTFE	static dissipative Polytetrafluoroethylene
Semitron® ESd 520HR PAI	khaki grey	PAI	static dissipative Polyamide-imide
Semitron® 480 PEEK	black	PEEK	static dissipative Polyetheretherketone
Semitron® 490HR PEEK	black	PEEK	static dissipative Polyetheretherketone
Semitron® MPR1000 PAI	natural (grey)	PAI	static dissipative Polyamide-imide + additives
Semitron® HPV PEEK	dark grey	PEEK	static dissipative Polyetheretherketone with improved surface resistivity

Food			Aerospace	Medical	Oil & Gas	Railway
EU 10/2011	FDA	3-A-Dairy				
			•		•	
	•		•			•
			•			•
			•			
			•			
			•			
			•			
			•		•	
			•		•	
			•			
			•			
			•		•	
			•		•	
			•		•	
			•		•	
			•		•	
			•		•	
•	•	• (1)	•		•	•
			•		•	•
•	•		•			
•	•		•			
	•		•			•
			•		•	•
			•			•
	•	•	•			
			•			
•	•		•		•	•
			•			•

(1) = natural colour (2) = black colour (3) = natural, black, grey

MCAM Brand	Colour	Chemical Acronym	Polymer Group
Ertacetal® / Acetron®			
Acetron® VMX Food Grade POM-C	blue	POM-C + MD	Polyoxymethylene Copolymer + metal detectable additive
Ertacetal® C POM-C Acetron® GP POM-C	natural, black, blue, green, brown, grey, orange, red, yellow	POM-C	Polyoxymethylene Copolymer
Ertacetal® C ELS POM-C	black	POM-C ELS	Polyoxymethylene Copolymer electrical sensitive
Ertacetal® C LQ POM-C	natural	POM-C	Polyoxymethylene Copolymer + color additive
Ertacetal® H POM-H Acetron® POM-H	natural, black	POM-H	Polyoxymethylene Homopolymer
Ertacetal® H-TF POM-H Acetron® AF Blend POM-H	deep brown	POM-H + PTFE	Polyoxymethylene Homopolymer + Polytetrafluoroethylene
Ertalon® / Nylatron®			
Ertalon® 4.6 PA4.6 Nylatron® 4.6 PA4.6	reddish brown	PA 4.6	Polyamide 4.6
Ertalon® 6 PLA PA6 Nylatron® MC® 907 PA6	natural, black, blue	PA 6 PLA	Polyamide 6 cast
Ertalon® 6 SA PA6	natural, black	PA 6 SA	Polyamide 6
Ertalon® 6 XAU+ PA6	black	PA 6 XAU+	Polyamide 6 cast heat stabilized
Ertalon® 66 SA PA66 Nylatron® 101 PA66	natural, black	PA 66 SA	Polyamide 66
Ertalon® 66-GF30 PA66 Nylatron® GF30 PA66	black	PA 66 GF 30	Polyamide 66 + 30% glass fiber reinforced and heat stabilized
Ertalon® LFX PA6 Nylatron® LFX PA6	green, black	PA 6 LFX	Polyamide 6 + oil
Nylatron® 66 SA FR PA66	black	PA 66 SA FR	Polyamide 66 Flame retardant
Nylatron® FST PA66	natural	PA 66 FST	Polyamide 66 Flame, Smoke, Toxicity retardant
Nylatron® 703 XL PA6	purple	PA 6 703 XL	Polyamide 6 cast + internal lubricants
Nylatron® GS PA66	grey-black	PA 66 MoS ₂	Polyamide 66 + Molybdenum Disulfide
Nylatron® GSM PA6	grey-black	PA 6 MoS ₂	Polyamide 6 cast + Molybdenum Disulfide
Nylatron® SLG PA6	blue	PA 6 SLG	Polyamide 6 cast Self-lubricating Grade
Nylatron® MC 901 PA6	blue	PA 6 MC 901	Polyamide 6 cast modified
Nylatron® VMX Food Grade PA6	dark blue	PA 6 MD	Polyamide 6 + metal detectable additive
Nylatron® NSM PA6	grey	PA 6 NSM	Polyamide 6 cast + solid lubricant
Nylatron® RIM PA6	black	PA 6	Polyamide 6
Ertalyte®			
Ertalyte® PET-P	natural, black, blue	PET-P	Polyethylene Terephthalate
Ertalyte® TX PET-P	pale-grey, light-blue	PET-P TX	Polyethylene Terephthalate + solid lubricant
Ertalyte® SLP PET-P	blue	PET-P	Polyethylene Terephthalate
Altron™			
Altron™ PC	natural (transparent)	PC	Polycarbonate non-UV-stabilized
Flextron™			
Flextron™ 1055 TPE	natural	TPE	Thermoplastic Copolyester Polymer

Food			Aerospace	Medical	Oil & Gas	Railway
EU 10/2011	FDA	3-A-Dairy				
●	●	●				
● (1)	●	● (2)	●		●	●
●	●					
	● (2)		●			
● (3)	● (3)					●
● (2)	● (2)					
						●
● (2)	● (2)		●			
			●			●
						●
						●
	●		●			●
			●			●
			●			●
					●	
●	●	●				
						●
						●
●	● (4)	● (2)				
●	●				●	
	●					
						●

(1) = natural, blue, black; other colours FDA compliant only
 (2) = natural
 (3) = natural and blue
 (4) = natural and black

Polyethylene / Polypropylene

PE/PP

MCAM Brand	Colour	Chemical Acronym	Polymer Group
TIVAR®			
TIVAR® 1000 UHMW-PE	natural, black, green, red, yellow, blue, red-brown	UHMW-PE	Ultra High Molecular Weight Polyethelene
TIVAR® 1000 antistatic UHMW-PE	black	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
TIVAR® 1000 ASTL UHMW-PE	black	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
TIVAR® 1000 EC UHMW-PE	black	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives (Electrical Conductivity)
TIVAR® 88 UHMW-PE	blue	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
TIVAR® 88-2	blue	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
TIVAR® BlueLine	light blue	UHMW-PE	Ultra High Molecular Weight Polyethelene
TIVAR® Burnguard UHMW-PE	black with silver spots	UHMW-PE	Ultra High Molecular Weight Polyethelene + flame retardant + additives
TIVAR® Ceram P UHMW-PE	yellow-green	UHMW-PE	Ultra High Molecular Weight Polyethelene + micro glass beads
TIVAR® CleanStat UHMW-PE	black	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
TIVAR® CleanStat White UHMW-PE	white	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
TIVAR® DrySlide UHMW-PE	black	UHMW-PE	Ultra High Molecular Weight Polyethelene + solid lubricant
TIVAR® Cestidur UHMW-PE	grey	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
TIVAR® DS UHMW-PE	yellow	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
TIVAR® ECO black antistatic UHMW-PE	black	UHMW-PE	Ultra High Molecular Weight Polyethelene, reprocessed
TIVAR® ECO green UHMW-PE	green	UHMW-PE	Ultra High Molecular Weight Polyethelene, reprocessed
TIVAR® H.O.T. UHMW-PE	white	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives (Higher Operating Temperature)
TIVAR® HPV UHMW-PE	blue	UHMW-PE	Ultra High Molecular Weight Polyethelene + solid lubricant
TIVAR® VMX Food Grade UHMW-PE	blue	UHMW-PE	Ultra High Molecular Weight Polyethelene + metal detectable additive
TIVAR® OilFilled UHMW-PE	grey	UHMW-PE	Ultra High Molecular Weight Polyethelene + solid lubricant
TIVAR® SuperPlus UHMW-PE	grey	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives, partially cross-linked
TIVAR® TECH UHMW-PE	grey-black	UHMW-PE + MoS ₂	Ultra High Molecular Weight Polyethelene + Molybdenum Disulfide
TIVAR® Cestigreen UHMW-PE	green	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
QuickSilver®			
QuickSilver®	silver-grey	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
QuickSilver® HD	yellow-green	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
Chirulen®			
Chirulen® 1020	natural	UHMW-PE	Ultra High Molecular Weight Polyethelene (medical grade)
Chirulen® 1050	natural	UHMW-PE	Ultra High Molecular Weight Polyethelene (medical grade)
Extrulen®			
Extrulen® 1020	natural	UHMW-PE	Ultra High Molecular Weight Polyethelene (medical grade)
Extrulen® 1050	natural	UHMW-PE	Ultra High Molecular Weight Polyethelene (medical grade)
PE 500			
PE 500	natural, black, green, red, yellow, blue	HMW-PE	High Molecular Weight Polyethelene
Borotron®			
Borotron® HM015 HMW-PE	natural	HMW-PE	High Molecular Weight Polyethelene + 1,5% Boric Oxide
Borotron® HM030 HMW-PE	natural	HMW-PE	High Molecular Weight Polyethelene + 3% Boric Oxide
Borotron® HM050 HMW-PE	natural	HMW-PE	High Molecular Weight Polyethelene + 5% Boric Oxide
Borotron® UH015 UHMW-PE	natural	UHMW-PE	Ultra High Molecular Weight Polyethelene + 1,5% Boric Oxide
Borotron® UH030 UHMW-PE	natural	UHMW-PE	Ultra High Molecular Weight Polyethelene + 3% Boric Oxide
Borotron® UH050 UHMW-PE	natural	UHMW-PE	Ultra High Molecular Weight Polyethelene + 5% Boric Oxide

Food			Aerospace	Medical	Linings	Oil & Gas	Railway
EU 10/2011	FDA	3-A-Dairy					
● (5)	● (1)	● (3)				●	●
●							
●							
●							
					●		
					●		
					●		
					● (4)	● (4)	● (4)
●	●						●
●	●	● (2)					
	●						
●	●				●		●
●	●						
●	●	● (2)			●	●	
●	●					●	
	●						●
					●		
					●		
				●			
				●			
				●			
				●			
●	● (1)						

(1) = colour black is not compliant (4) = UL94 V-O compliant
 (2) = on demand (5) = red-brown has not
 (3) = colour natural been tested

Europe

Mitsubishi Chemical Advanced
Materials NV
Galgenveldstraat 12
8700 Tielt, Belgium
T +32[0] 51 42 35 11
F +32[0] 51 42 33 10
contact@mcam.com

North America

Mitsubishi Chemical Advanced
Materials Inc.
2120 Fairmont Avenue
PO Box 14235 - Reading, PA 19612-4235
T 800 366 0300 | +1 610 320 6600
F 800 366 0301 | +1 610 320 6638
contact@mcam.com

Asia-Pacific

Mitsubishi Chemical Advanced
Materials Asia Pacific Ltd.
Unit 7B, 35/F, Cable TV Tower,
9 Hoi Shing Road, Tsuen Wan, Hong Kong
T +852 2470 26 83
F +852 2478 99 66
contact@mcam.com

Belgium | Brazil | China | France | Germany | Hong Kong | Hungary | India | Italy | Japan | Korea | Mexico |
South Africa | Switzerland | The Netherlands | United Kingdom | United States of America

All statements, technical information, recommendations, and advice are for informational purposes only and are not intended and should not be construed as a warranty of any type or term of sale. The reader, however, is cautioned that Mitsubishi Chemical Advanced Materials does not guarantee the accuracy or completeness of this information and it is the customer's responsibility to test and assess the suitability of the products of Mitsubishi Chemical Advanced Materials in any given application or for use in a finished device.

The products of Mitsubishi Chemical Advanced Materials should not be used for applications involving medical devices that are intended to remain implanted in the human body continuously for a period exceeding 24 hours (30 days*), or are intended to remain in contact with internal human tissue or bodily fluids for more than 24 hours (30 days*), or as critical components of medical devices that are essential to the continuation of human life.s.

*: "30 days" applies to Ketron® PEEK-CLASSIX™ LSG white only.

Mitsubishi Chemical Advanced Materials is not a medical device manufacturer and the information herein does not constitute any express or implied warranties or representations whatsoever, including, but not limited to, all warranties provided for by any applicable law, any implied warranty of merchantability, of fitness for a particular purpose, any warranty against hidden defects or redhibitory defects or vices, or that the products of Mitsubishi Chemical Advanced Materials are manufactured in accordance with the quality standards appropriate and necessary for materials intended for use in implantable medical device applications and in applications that are essential to the restoration of or continuation of a bodily function important to the continuation of human life.

Acetron®, Altron™, Chirulen®, Duratron®, Ertacetal®, Ertalon®, Ertalyte®, Extrulen®, Fluorosint®, Flextron™, Ketron®, Nylatron®, Proteus®, QuickSilver®, Semitron®, Sultron™, Techtron® and TIVAR® are registered trademarks of Mitsubishi Chemical Advanced Materials.
PEEK-CLASSIX™ is a registered trademark of Invivio Inc.

Follow us



@MCAMconnect