

MA APPROVAL NUMBER	MAC-SAL-00065
FORM NUMBER	N/A
REVISION NUMBER	01
REVISION DATE	18/06/2014
MD SIGNATURE	

## TOLERANCES FOR CHEMFAB® BELTS

Quadrant Chemplast Pty Ltd offers many styles of belting for various industrial processes. The following standard applies to our fabricated belting products:

Property	Dimension	Tolerance
Width	Less than 600mm	± 1.6 mm
Width	From 600 to 1200mm	± 3.2 mm
Width	Over 1200mm	± 6.4 mm
Length	6m	± 12.5 mm
Length	> 6m to 27m	± 25 mm
Length	> 27m	± 50 mm

For woven to width (untrimmed) belting, please consult our Sales Office.

These tolerances are for finished belts. Belts that have mechanical splices and/or heat-sealed edges, may exhibit some shrinkage during fabrication. These belts will return to proper size when installed. All belts are subject to some elongation when put under tension but may require a surcharge. Please consult our sales office for further information.

*Limited Warranty: For a period of 6 months from the date of first sale, Quadrant Chemplast (Pty) Ltd warrants this product(s) to be free from defects in manufacturing. Our only obligation will be to provide replacement product for any portion proving defective, or at our option, to refund the purchase price thereof. User assumes all other risks, if any, including the risk of injury, loss or damage, whether direct or consequential, arising out of the use, misuse, or inability to use this product(s). QUADRANT CHEMPLAST PTY LTD DISCLAIMS ANY AND ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.*

*NOTE: Quadrant Chemplast (Pty) Ltd does not assume any responsibility or liability for any advice furnished by it, or for the performance or results of any installation or use of the product(s) or of any final product into which the product(s) may be incorporated by the purchaser and/or user. The purchaser and/or user should perform its own tests to determine the suitability and fitness of the product(s) for the particular purpose desired in any given situation.*

Engineering Plastics, Products and Solutions for Heat, Wear and Corrosive Applications

Branches:

 Port Elizabeth  
 Tel: +27(0)41 453-1802  
 Fax: +27(0)41 453-1804

 West Rand  
 Tel: +27(0)11 760-3100  
 Fax: +27(0)11 760-3107

 Cape Town  
 Tel: +27(0)21 552-1148  
 Fax: +27(0)21 552-4672

 Durban  
 Tel: +27(0)31 579-2377  
 Fax +27(0)31 579-2378

Directors: J.N. van der Westhuizen (Managing), C. Kleiner-Benz, R. Engelbertink, M.A. Steggink